

Alta Floresta revisited: an updated review of the avifauna of the most heavily surveyed site in south-central Amazonia

*By Alexander C. Lees, Kevin J. Zimmer, Curtis A. Marantz,
Andrew Whittaker, Bradley J. W. Davis & Bret M. Whitney*

SUMMARY.—Without adequate knowledge of species' distributions and life-history characteristics it is impossible to undertake robust quantitative analyses to answer even basic biogeographical questions or make informed, evidence-based conservation planning decisions. We present a follow-up to the first avifaunal inventory from Alta Floresta, Mato Grosso, Brazil (Zimmer *et al.* 1997) after an additional 15 years of fieldwork. We add 116 species to the regional list and we clarify the status of others. Many of the species reported here are poorly known, so we present data on their status and distribution, both in the Alta Floresta region and at other Amazonian localities. We explore the biogeographic significance of this transitional region for turnover in both species and subspecies, and we demonstrate that southern Amazonian sites have a species richness that may be comparable to that of better-known sites elsewhere in the basin.

Appendix I

List of 595 species recorded from the Alta Floresta region (Mato Grosso, Brazil) through December 2010. Asterisks indicate species unrecorded during the first inventory (Zimmer et al. 1997). We present qualitative estimates of abundance for each species in suitable habitat. These categories are as follows: C – ‘common’ species are those for which five or more several individuals can be expected daily in appropriate habitat, FC – ‘fairly common’ species are those for which less than five birds can be expected in appropriate habitat on most days or those that are encountered irregularly in larger numbers, U – ‘uncommon’ species are encountered in small numbers on a less than daily basis, R – ‘rare’ species are encountered only a few times per season or are resident locally in very small numbers, and VR – ‘very rare’ species have been recorded from the region on less than ten occasions. Most species are resident in the region, but some occur only seasonally. Documentation supporting the occurrence each species is as follows: X = specimen deposited at the Museu Paraense Emilio Goeldi (Belém), A = audio recording, P = photographic record, S = sight record A dagger (†) indicates that the species is represented on the Bird voices of Alta Floresta and southeastern Amazonian Brazil (Marantz & Zimmer 2006) by a records made within the study region and double daggers (§) denote additional species for which CAM has recordings archived at the Macaulay Library. The latter species are denoted as: AM – austral migrants (if followed by a * then some individuals also resident), BM – boreal migrants, or UM – unspecified intratropical migrants. Taxonomy and nomenclature follows Remsen et al. (2011).

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
TINAMIFORMES					
TINAMIDAE (TINAMOUS)					
<i>Tinamus tao</i>	Grey Tinamou	U	U	A, P	
<i>Tinamus major</i>	Great Tinamou	FC	FC	A, P	
<i>Tinamus guttatus</i>	White-throated Tinamou	U	Rw	A	
<i>Crypturellus cinereus</i>	Cinereous Tinamou	C	C	A†, P	
<i>Crypturellus soui</i>	Little Tinamou	FC	FCw	A	
<i>Crypturellus obsoletus</i>	Brown Tinamou	U	Ub	A†	
<i>Crypturellus undulatus*</i>	Undulated Tinamou	FC		X†	
<i>Crypturellus strigulosus</i>	Brazilian Tinamou	C	FC-C	A†	
<i>Crypturellus variegatus</i>	Variegated Tinamou	FC	FC	A	
<i>Crypturellus parvirostris</i>	Small-billed Tinamou	R	Rw	X	
<i>Crypturellus tataupa</i>	Tataupa Tinamou	C	U	X†	
ANSERIFORMES					
ANATIDAE (DUCKS)					

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
<i>Dendrocygna viduata</i> *	White-faced Whistling-Duck	U		P	
<i>Dendrocygna autumnalis</i> *	Black-bellied Whistling-Duck	U		A‡, P	
<i>Cairina moschata</i>	Muscovy Duck	C	U	P	
<i>Amazonetta brasiliensis</i>	Brazilian Teal	C	Rw	P	
<i>Nomonyx dominicus</i> *	Masked Duck	VR		P	
GALLIFORMES					
CRACIDAE (GUANS)					
<i>Penelope jacquacu</i>	Spix's Guan	FC	FC	X‡	
<i>Pipile cufubi</i>	Red-throated Piping-Guan	FC	FC	X	
<i>Ortalis guttata</i> *	Speckled Chachalaca	FC		A, P	
<i>Crax fasciolata</i> *	Bare-faced Curassow	U		X	
<i>Mitu tuberosum</i>	Razor-billed Curassow	U	Ue	X‡	
ODONTOPHORIDAE (NEW WORLD QUAILS)					
<i>Odontophorus gujanensis</i>	Marbled Wood-Quail	FC	FC-U	X†	
PODICIPEDIFORMES					
PODICIPEDIDAE (GREBES)					
<i>Tachybaptus dominicus</i> *	Least Grebe	R		P	
<i>Podilymbus podiceps</i> *	Pied-billed Grebe	VR		S	
CICONIIFORMES					

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
CICONIIDAE (STORKS)					
<i>Ciconia maguari</i> *	Maguari Stork	VR		P	
<i>Jabiru mycteria</i> *	Jabiru	R		P	
<i>Mycteria americana</i>	Wood Stork	FC	U	P	
SULIFORMES					
PHALACROCORACIDAE (CORMORANTS)					
<i>Phalacrocorax brasilianus</i>	Neotropic Cormorant	C	C	P	
ANHINGIDAE (ANHINGAS)					
<i>Anhinga anhinga</i>	Anhinga	U	FC	P	
PELECANIFORMES					
ARDEIDAE (HERONS)					
<i>Tigrisoma lineatum</i>	Rufescent Tiger-Heron	FC	FC	A, P	
<i>Agamia agami</i> *	Agami Heron	U		P	
<i>Cochlearius cochlearius</i> *	Boat-billed Heron	U		P	
<i>Zebrilus undulatus</i> *	Zigzag Heron	U		A‡, P	
<i>Ixobrychus exilis</i> *	Least Bittern	VR		S	
<i>Butorides striata</i>	Striated Heron	C	FC	A, P	
<i>Bubulcus ibis</i>	Cattle Egret	C	C	P	
<i>Ardea cocoi</i>	Cocoi Heron	U	U	P	

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
<i>Ardea alba</i>	Great Egret	C	U	P	
<i>Pilherodius pileatus</i>	Capped Heron	C	U	P	
<i>Egretta thula</i>	Snowy Egret	C	R	P	
THRESKIORNITHIDAE (IBISES)					
<i>Mesembrinibis cayennensis</i>	Green Ibis	C	FC	A†, P	
CATHARTIFORMES					
CATHARTIDAE (NEW WORLD VULTURES)					
<i>Cathartes aura</i> *	Turkey Vulture	C		P	
<i>Cathartes burrovianus</i>	Lesser Yellow-headed Vulture	C	Rw	P	
<i>Cathartes melambrotus</i>	Greater Yellow-headed Vulture	C	FC	P	
<i>Coragyps atratus</i>	Black Vulture	C	C	P	
<i>Sarcoramphus papa</i>	King Vulture	U	U	P	
ACCIPITRIFORMES					
PANDIONIDAE (OSPREY)					
<i>Pandion haliaetus</i>	Osprey	R	Rm	P	BM
ACCIPITRIDAE (HAWKS)					
<i>Elanus leucurus</i> *	White-tailed Kite	FC	Rw	P	
<i>Gampsonyx swainsonii</i>	Pearl Kite	FC	Rm	P	

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
<i>Chondrohierax uncinatus</i>	Hook-billed Kite	U	U	A, P	
<i>Leptodon cayanensis</i>	Grey-headed Kite	U	U	A, P	
<i>Elanoides forficatus</i>	Swallow-tailed Kite	FC	Um	P	UM
<i>Rostrhamus sociabilis</i>	Snail Kite	FC	U	P	UM
<i>Harpagus bidentatus</i>	Double-toothed Kite	FC	U	P	
<i>Harpagus diodon</i> *	Rufous-thighed Kite	VR		P	
<i>Ictinia plumbea</i>	Plumbeous Kite	FC	FC	A†, P	UM
<i>Accipiter poliogaster</i>	Grey-bellied Hawk	R	Rw	A, P	
<i>Accipiter superciliosus</i>	Tiny Hawk	U	Rw	A, P	
<i>Accipiter bicolor</i>	Bicoloured Hawk	VR	Re	A, P	
<i>Geranospiza caerulescens</i>	Crane Hawk	U	Re	P	
<i>Leucopternis melanops</i> *	Black-faced Hawk	VR		P	
<i>Leucopternis kuhli</i>	White-browed Hawk	U	R	A†, P	
<i>Leucopternis albicollis</i> *	White Hawk	U		P	
<i>Buteogallus urubitinga</i>	Great Black-Hawk	FC	Ue	X	
<i>Busarellus nigricollis</i> *	Black-collared Hawk	FC		A, P	
<i>Buteo magnirostris</i>	Roadside Hawk	C	R	A, P	
<i>Buteo platypterus</i> *	Broad-winged Hawk	R		S	BM
<i>Buteo nitidus</i> *	Grey Hawk	C		A, P	
<i>Buteo brachyurus</i>	Short-tailed Hawk	FC	Rw	P	
<i>Buteo albicaudatus</i>	White-tailed Hawk	U	Rw	P	
<i>Morphnus guianensis</i>	Crested Eagle	R	Re	A†, P	
<i>Harpia harpyja</i>	Harpy Eagle	U	Rw	A†, P	
<i>Spizaetus melanoleucus</i>	Black-and-white Hawk-Eagle	U	Rw	P	
<i>Spizaetus tyrannus</i>	Black Hawk-Eagle	U	Re	A, P	

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
<i>Spizaetus ornatus</i>	Ornate Hawk-Eagle	U	R	A, P	
FALCONIFORMES					
FALCONIDAE (FALCONS)					
<i>Herpetotheres cachinnans</i>	Laughing Falcon	FC	Uw	A‡, P	
<i>Micrastur ruficollis</i>	Barred Forest-Falcon	FC	U	X†	
<i>Micrastur mintoni</i>	Cryptic Forest-Falcon	FC	Rw	A†, P	
<i>Micrastur mirandollei</i>	Slaty-backed Forest-Falcon	U	U-R	A†, P	
<i>Micrastur semitorquatus</i>	Collared Forest-Falcon	U	Re	A‡, P	
<i>Caracara plancus</i>	Southern Caracara	FC	Uw	P	
<i>Ibycter americanus</i>	Red-throated Caracara	FC	U	A†, P	
<i>Daptrius ater</i>	Black Caracara	FC	U	A†, P	
<i>Milvago chimachima</i>	Yellow-headed Caracara	VR	Rw	S	
<i>Falco sparverius</i>	American Kestrel	C	Rw	A, P	
<i>Falco rufigularis</i>	Bat Falcon	FC	FC-U	A†, P	
<i>Falco femoralis</i> *	Aplomado Falcon	R		P	
GRUIFORMES					
ARAMIDAE (LIMPKIN)					
<i>Aramus guarauna</i>	Limkin	FC	U	P	
PSOPHIIDAE (TRUMPETERS)					
<i>Psophia viridis</i>	Dark-winged Trumpeter	U	U	X†	

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
RALLIDAE (RAILS)					
<i>Aramides cajanea</i>	Grey-necked Wood-Rail	FC	Uw	A‡, P	
<i>Amaurolimnas concolor</i> *	Uniform Crake	VR		P	UM
<i>Anurolimnas viridis</i> *	Russet-crowned Crake	FC		A, P	
<i>Laterallus melanophaius</i>	Rufous-sided Crake	U	Uw	A	
<i>Laterallus exilis</i>	Grey-breasted Crake	FC	Uw	A‡, P	
<i>Porzana albicollis</i>	Ash-throated Crake	FC	Rw	A, P	
<i>Gallinula galeata</i> *	Common Gallinule	U		P	
<i>Porphyrio martinica</i>	Purple Gallinule	FC	Uw	A‡, P	
<i>Porphyrio flavirostris</i> *	Azure Gallinule	VR		P	UM
HELIORNITHIDAE (FINFOOTS)					
<i>Heliornis fulica</i>	Sungrebe	FC	Re	X†	
EURYPYGIFORMES					
EURYPYGIDAE (SUNBITTERN)					
<i>Eurypyga helias</i>	Sunbittern	FC	U	A, P	
CHARADRIIFORMES					
CHARADRIIDAE (PLOVERS)					
<i>Vanellus cayanus</i>	Pied Lapwing	FC	R	A‡, P	UM
<i>Vanellus chilensis</i>	Southern Lapwing	C	Uw	A, P	UM

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
<i>Pluvialis dominica</i> *	American Golden-Plover	VR		P	BM
RECURVIROSTRIDAE (AVOCETS and STILTS)					
<i>Himantopus mexicanus</i> *	Black-necked Stilt	VR		S	AM
SCOLOPACIDAE (SANDPIPERS)					
<i>Gallinago paraguaiiae</i> *	South American Snipe	VR		A	AM
<i>Actitis macularius</i>	Spotted Sandpiper	FC	Rme	P	BM
<i>Tringa melanoleuca</i> *	Greater Yellowlegs	U		P	BM
<i>Tringa flavipes</i> *	Lesser Yellowlegs	FC		X	BM
<i>Tringa solitaria</i>	Solitary Sandpiper	FC	Um	P	BM
<i>Calidris fuscicollis</i> *	White-rumped Sandpiper	R		P	BM
<i>Calidris melanotos</i> *	Pectoral Sandpiper	VR		P	BM
<i>Calidris himantopus</i> *	Stilt Sandpiper	VR		P	BM
JACANIDAE (JACANAS)					
<i>Jacana jacana</i>	Wattled Jacana	C	FCw	A, P	
LARIDAE (GULLS and TERNS)					
<i>Sternula superciliaris</i>	Yellow-billed Tern	U	R	P	UM
<i>Phaetusa simplex</i>	Large-billed Tern	U	R	P	UM
RYNCHOPIDAE (SKIMMERS)					
<i>Rynchops niger</i>	Black Skimmer	U	R	P	UM

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
COLUMBIFORMES					
COLUMBIDAE (PIGEONS)					
<i>Columbina talpacoti</i>	Ruddy Ground-Dove	C	Cw	A, P	
<i>Columbina squammata</i> *	Scaled Dove	U		P	
<i>Claravis pretiosa</i>	Blue Ground-Dove	FC	U	A, P	
<i>Patagioenas speciosa</i> *	Scaled Pigeon	U		A, P	
<i>Patagioenas picazuro</i> *	Picazuro Pigeon	U		P	
<i>Patagioenas cayennensis</i>	Pale-vented Pigeon	C	R	A, P	
<i>Patagioenas plumbea</i>	Plumbeous Pigeon	FC	FC	X†	
<i>Patagioenas subvinacea</i>	Ruddy Pigeon	FC	FC-C	A†, P	
<i>Leptotila verreauxi</i> *	White-tipped Dove	FC		A, P	
<i>Leptotila rufaxilla</i>	Grey-fronted Dove	FC	FC	X†	
<i>Geotrygon violacea</i> *	Violaceous Quail-Dove	VR		P	UM?
<i>Geotrygon montana</i>	Ruddy Quail-Dove	U	FC	X‡	UM
PSITTACIFORMES					
PSITTACIDAE (PARROTS)					
<i>Anodorhynchus hyacinthinus</i> *	Hyacinth Macaw	VR		P	UM
<i>Ara ararauna</i>	Blue-and-yellow Macaw	FC	FC	A, P	UM
<i>Ara macao</i>	Scarlet Macaw	FC	FC	A†, P	
<i>Ara chloropterus</i>	Red-and-green Macaw	FC	U	A†, P	
<i>Ara severus</i>	Chestnut-fronted Macaw	C	FC	A†, P	
<i>Orthopsittaca manilata</i>	Red-bellied Macaw	FC	Uw	A†, P	

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
<i>Primolius maracana</i> *	Blue-winged Macaw	R		A, P	
<i>Aratinga leucophthalma</i>	White-eyed Parakeet	C	U	A†, P	
<i>Pyrrhura perlata</i>	Crimson-bellied Parakeet	FC	Uw	A†, P	
<i>Pyrrhura amazonum</i>	Santarem Parakeet	C	C	A†, P	
<i>Forpus modestus</i>	Dusky-billed Parrotlet	FC	U	A†, P	
<i>Brotogeris chrysoptera</i>	Golden-winged Parakeet	C	C	A‡, P	
<i>Touit huetii</i> *	Scarlet-shouldered Parrotlet	U		A	
<i>Pionites leucogaster</i>	White-bellied Parrot	FC	FC	A†, P	
<i>Deropterus accipitrinus</i>	Red-fan Parrot	FC	U-FC	A†, P	
<i>Pytilia barrabandi</i>	Orange-cheeked Parrot	U	U	A, P	
<i>Pytilia aurantiocephala</i> *	Bald Parrot	VR		P	
<i>Pionus menstruus</i>	Blue-headed Parrot	C	C	A†, P	
<i>Amazona ochrocephala</i>	Yellow-crowned Parrot	FC	FC	A†, P	
<i>Amazona kawalli</i> *	Kawall's Parrot	FC		A†, P	
<i>Amazona amazonica</i>	Orange-winged Parrot	U	U	X‡	
<i>Amazona farinosa</i>	Mealy Parrot	FC	U	A‡, P	
OPISTHOCOMIFORMES					
OPISTHOCOMIDAE (HOATZIN)					
<i>Opisthocomus hoazin</i> *	Hoatzin	FC		A, P	
CUCULIFORMES					
CUCULIDAE (CUCKOOS)					

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
<i>Glaucidium hardyi</i>	Amazonian Pygmy-Owl	FC	U	A†, P	
<i>Athene cunicularia</i>	Burrowing Owl	C	Rw	A, P	
<i>Pseudoscops clamator</i> *	Striped Owl	R		A, P	
CAPRIMULGIFORMES					
NYCTIBIIDAE (POTOOS)					
<i>Nyctibius grandis</i>	Great Potoo	FC	U	A, P	
<i>Nyctibius aethereus</i> *	Long-tailed Potoo	VR		A, P	
<i>Nyctibius griseus</i> *	Common Potoo	FC		A, P	
CAPRIMULGIDAE (NIGHTJARS)					
<i>Lurocalis semitorquatus</i>	Short-tailed Nighthawk	FC	FC	A‡	
<i>Chordeiles nacunda</i> *	Nacunda Nighthawk	U-R		A, P	UM
<i>Chordeiles minor</i>	Common Nighthawk	R	Rw (as <i>Chordeiles</i> sp.)	S	BM
<i>Nyctidromus albicollis</i>	Common Pauraque	C	U	A†, P	
<i>Nyctiphrynus ocellatus</i>	Ocellated Poorwill	U-FC	U-FC	A, P	
<i>Antrostomus rufus</i> *	Rufous Nightjar	VR		A, P	AM
<i>Antrostomus sericocaudatus</i> *	Silky-tailed Nightjar	R		A	
<i>Caprimulgus maculicaudus</i>	Spot-tailed Nightjar	U-FC	U-Rw	A, P	
<i>Caprimulgus parvulus</i>	Little Nightjar	FC	Uw	A, P	
<i>Caprimulgus nigrescens</i>	Blackish Nightjar	C	C	X†	
<i>Hydropsalis climacocerca</i>	Ladder-tailed Nightjar	FC	Re	A, P	

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
APODIFORMES					
APODIDAE (SWIFTS)					
<i>Cypseloides senex</i>	Great Dusky Swift	R	Rw	P	UM
<i>Streptoprocne zonaris</i>	White-collared Swift	U	U-R	S	UM
<i>Chaetura cinereiventris</i>	Grey-rumped Swift	C	C	A, P	
<i>Chaetura egregia</i>	Pale-rumped Swift	FC	U-FC	A, P	
<i>Chaetura viridipennis</i> *	Amazonian Swift	FC		A (‡?)	UM
<i>Chaetura brachyura</i>	Short-tailed Swift	C	U-FC	A, P	
<i>Tachornis squamata</i>	Fork-tailed Palm-Swift	C	U-FC	A, P	
<i>Panyptila cayennensis</i> *	Lesser Swallow-tailed Swift	U		A, P	
TROCHILIDAE (HUMMINGBIRDS)					
<i>Topaza pella</i> *	Crimson Topaz	R		A, P	
<i>Florisuga mellivora</i>	White-necked Jacobin	C	U	A, P	
<i>Glaucis hirsutus</i>	Rufous-breasted Hermit	FC	U	X	
<i>Threnetes leucurus</i>	Pale-tailed Barbthroat	U	U	X	
<i>Phaethornis aethopyga</i> *	Tapajós Hermit	R		A, P	
<i>Phaethornis ruber</i>	Reddish Hermit	C	FC	A †, P	
<i>Phaethornis hispidus</i> *	White-bearded Hermit	R		A, P	
<i>Phaethornis bourcierii</i>	Straight-billed Hermit	U	hypothetical	A	
<i>Phaethornis superciliosus</i>	Eastern Long-tailed Hermit	C	FC	X	
<i>Heliothryx auritus</i>	Black-eared Fairy	U	U	X	
<i>Avocettula recurvirostris</i> *	Fiery-tailed Aowlbill	VR		P	
<i>Chrysolampis mosquitus</i> *	Ruby-topaz Hummingbird	VR		S	UM

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
ALCEDINIDAE (KINGFISHERS)					
<i>Megaceryle torquata</i>	Ringed Kingfisher	C	FC-U	A, P	
<i>Chloroceryle amazona</i>	Amazon Kingfisher	C	FC-C	A†, P	
<i>Chloroceryle americana</i>	Green Kingfisher	FC	U	A†, P	
<i>Chloroceryle inda</i>	Green-and-rufous Kingfisher	U	Ue	A†, P	
<i>Chloroceryle aenea</i>	American Pygmy Kingfisher	U	Re	X	
MOMOTIDAE (MOTMOTS)					
<i>Electron platyrhynchum</i>	Broad-billed Motmot	FC	FC	X†	
<i>Baryphthengus martii</i> *	Rufous Motmot	R		X†	
<i>Momotus momota</i>	Amazonian Motmot	FC	FC	X‡	
GALBULIFORMES					
GALBULIDAE (JACAMARS)					
<i>Brachygalba lugubris</i>	Brown Jacamar	U	Ue	A, P	
<i>Galbula cyanicollis</i>	Blue-cheeked Jacamar	FC	U	X†	
<i>Galbula ruficauda</i>	Rufous-tailed Jacamar	FC	FC	A†, P	
<i>Galbula leucogastra</i>	Bronzy Jacamar	R	Re	A†, P	
<i>Galbula dea</i>	Paradise Jacamar	C	FC-C	X†	
<i>Jacamerops aureus</i>	Great Jacamar	FC	U-FC	A‡, P	
BUCCONIDAE (PUFFBIRDS)					
<i>Notharchus hyperrhynchus</i>	White-necked Puffbird	FC	FC	A, P	

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
<i>Notharchus ordii</i>	Brown-banded Puffbird	U	Ue	A‡, P	
<i>Notharchus tectus</i>	Pied Puffbird	FC	U	X	
<i>Bucco tamatia</i> *	Spotted Puffbird	R		A, P	
<i>Bucco capensis</i>	Collared Puffbird	U	R	A‡, P	
<i>Nystalus striolatus</i>	Striolated Puffbird	FC	FC	X‡	
<i>Malacoptila rufa</i>	Rufous-necked Puffbird	U	Re	X†	
<i>Nonnula rubecula</i> *	Rusty-breasted Nunlet	VR		A, P	
<i>Nonnula ruficapilla</i>	Rufous-capped Nunlet	U	R	X†	
<i>Monasa nigrifrons</i>	Black-fronted Nunbird	C	C	A†, P	
<i>Monasa morphoeus</i>	White-fronted Nunbird	C	C	A†, P	
<i>Chelidoptera tenebrosa</i>	Swallow-winged Puffbird	C	C	X	
PICIFORMES					
CAPITONIDAE (NEW WORLD BARBETS)					
<i>Capito dayi</i>	Black-girdled Barbet	FC	U-FC	A†, P	
RAMPHASTIDAE (TOUCANS)					
<i>Ramphastos tucanus</i>	White-throated Toucan	C	C	X†	
<i>Ramphastos vitellinus</i>	Channel-billed Toucan	C	FC	X†	
<i>Selenidera gouldii</i>	Gould's Toucanet	U	FC	X†	
<i>Pteroglossus inscriptus</i>	Lettered Aracari	FC	FC	X†	
<i>Pteroglossus aracari</i> *	Black-necked Aracari	R		X	
<i>Pteroglossus castanotis</i>	Chestnut-eared Aracari	FC	FC	P†	
<i>Pteroglossus beauharnaesii</i>	Curl-crested Aracari	U	Ue	X†	

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
<i>Pteroglossus bitorquatus</i>	Red-necked Aracari	FC	U	X‡	
PICIDAE (WOODPECKERS)					
<i>Picumnus aurifrons</i>	Bar-breasted Piculet	FC	FC	X†	
<i>Melanerpes candidus*</i>	White Woodpecker	VR		P	
<i>Melanerpes cruentatus</i>	Yellow-tufted Woodpecker	C	C	A†, P	
<i>Veniliornis affinis</i>	Red-stained Woodpecker	FC	FC	X‡	
<i>Piculus flavigula</i>	Yellow-throated Woodpecker	FC	FC	X	
<i>Piculus chrysochloros</i>	Golden-green Woodpecker	U	U	A, P	
<i>Celeus grammicus</i>	Scale-breasted Woodpecker	FC	FC	X‡	
<i>Celeus elegans</i>	Chestnut Woodpecker	U	U	X†	
<i>Celeus flavus</i>	Cream-coloured Woodpecker	U	FC	X†	
<i>Celeus torquatus</i>	Ringed Woodpecker	U	U	X‡	
<i>Dryocopus lineatus</i>	Lineated Woodpecker	FC	FC	A†, P	
<i>Campephilus rubricollis</i>	Red-necked Woodpecker	U	U	A†, P	
<i>Campephilus melanoleucos</i>	Crimson-crested Woodpecker	FC	FC	A‡, P	
PASSERIFORMES					
FURNARIIDAE (OVENBIRDS)					
<i>Sclerurus mexicanus</i>	Tawny-throated Leaftosser	U	U	A†	
<i>Sclerurus rufigularis</i>	Short-billed Leaftosser	FC	Uw	X†	
<i>Sclerurus caudacutus</i>	Black-tailed Leaftosser	U	U	X†	
<i>Sclerurus albigularis</i>	Grey-throated Leaftosser	VR	Rw	A†	

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
<i>Synallaxis albescens</i> *	Pale-breasted Spinetail	U		A	
<i>Synallaxis rutilans</i>	Ruddy Spinetail	FC	U	X‡	
<i>Synallaxis cherriei</i>	Chestnut-throated Spinetail	U	U	A†, P	
<i>Synallaxis cabanisi</i>	Cabanis's Spinetail	VR	Rw	A†	
<i>Synallaxis gujanensis</i>	Plain-crowned Spinetail	FC	R	A†, P	
<i>Cranioleuca vulpina</i>	Rusty-backed Spinetail	C	Ue	A	
<i>Cranioleuca gutturata</i>	Speckled Spinetail	U	Uw	A†	
<i>Berlepschia rikeri</i>	Point-tailed Palmcreeper	U	Rw	A, P	
<i>Simoxenops ucayalae</i>	Peruvian Recurvebill	R	U	A†	
<i>Ancistrops strigilatus</i>	Chestnut-winged Hookbill	FC	FC	A†, P	
<i>Hylocisthes subulatus</i>	Striped Woodhaunter	U	U	X	
<i>Philydor ruficaudatum</i>	Rufous-tailed Foliage-gleaner	U	U	A	
<i>Philydor erythrocercum</i>	Rufous-rumped Foliage-gleaner	FC	FC	A†, P	
<i>Philydor erythropterum</i>	Chestnut-winged Foliage-gleaner	FC	FC	A‡	
<i>Philydor pyrrhodes</i> *	Cinnamon-rumped Foliage-gleaner	R-U		X	
<i>Anabazenops dorsalis</i>	Dusky-cheeked Foliage-gleaner	U	FC	A†	
<i>Automolus ochrolaemus</i>	Buff-throated Foliage-gleaner	FC	U-FC	X†	
<i>Automolus paraensis</i>	Para Foliage-gleaner	FC	U-FC	X†	
<i>Automolus rufipileatus</i>	Chestnut-crowned Foliage-gleaner	FC	FC	X†	
<i>Xenops milleri</i>	Rufous-tailed Xenops	R-U	Re	A	
<i>Xenops tenuirostris</i> *	Slender-billed Xenops	R		A,P	
<i>Xenops minutus</i>	Plain Xenops	FC	FC	X‡	

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
<i>Xenops rutilans</i>	Streaked Xenops	U	R	A, P	
<i>Certhiasomus stictolaemus</i>	Spot-throated Woodcreeper	R-U	Re	X†	
<i>Dendrocincla fuliginosa</i>	Plain-brown Woodcreeper	C	U	X‡	
<i>Dendrocincla merula</i> *	White-chinned Woodcreeper	FC	overlooked	X†	
<i>Sittasomus griseicapillus</i>	Olivaceous Woodcreeper	FC	U	X†	
<i>Deconychura longicauda</i>	Long-tailed Woodcreeper	U	U	X†	
<i>Glyphorhynchus spirurus</i>	Wedge-billed Woodcreeper	C	FC	X‡	
<i>Nasica longirostris</i>	Long-billed Woodcreeper	FC	U-FC	X†	
<i>Dendrexetastes rufigula</i>	Cinnamon-throated Woodcreeper	FC	U-FC	X†	
<i>Hylexetastes perrotii</i>	Red-billed Woodcreeper	R-U	R	X†	
<i>Xiphocolaptes promeropirhynchus</i>	Strong-billed Woodcreeper	U	U	A†, P	
<i>Dendrocolaptes certhia</i>	Amazonian Barred-Woodcreeper	FC	U	X†	
<i>Dendrocolaptes picumnus</i>	Black-banded Woodcreeper	U	Re	A‡, P	
<i>Dendroplex picus</i>	Straight-billed Woodcreeper	C	FC-Ce	X†	
<i>Xiphorhynchus obsoletus</i>	Striped Woodcreeper	C	U-FC	X†	
<i>Xiphorhynchus elegans</i> *	Elegant Woodcreeper	FC	C	X†	
<i>Xiphorhynchus spixii</i>	Spix's Woodcreeper	FC	C	X†	
<i>Xiphorhynchus guttatus</i>	Buff-throated Woodcreeper	C	C	X†	
<i>Lepidocolaptes albolineatus</i>	Lineated Woodcreeper	FC	FC	X‡	
<i>Campylorhamphus procurvoides</i>	Curve-billed Scythebill	U	U-FC	X†	
THAMNOPHILIDAE (ANTBIRDS)					
<i>Cymbilaimus lineatus</i>	Fasciated Antshrike	C	FC-C	X†	
<i>Taraba major</i>	Great Antshrike	FC	FC	A†, P	

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
<i>Sakesphorus luctuosus</i>	Glossy Antshrike	FC	U	A†	
<i>Thamnophilus doliatus</i> *	Barred Antshrike	FC		A, P	
<i>Thamnophilus palliatus</i>	Chestnut-backed Antshrike	C	FC	A†, P	
<i>Thamnophilus schistaceus</i>	Plain-winged Antshrike	FC	FC-C	X†	
<i>Thamnophilus stictocephalus</i>	Natterer's Slaty-Antshrike	FC	Fce	A†, P	
<i>Thamnophilus aethiops</i>	White-shouldered Antshrike	U-FC	U	A†, P	
<i>Thamnophilus amazonicus</i>	Amazonian Antshrike	FC	U-FC	X†	
<i>Thamnomanes saturninus</i>	Saturnine Antshrike	U	U	X‡	
<i>Thamnomanes caesius</i>	Cinereous Antshrike	C	C	X†	
<i>Pygiptila stellaris</i>	Spot-winged Antshrike	FC	FC	X†	
<i>Epinecrophylla leucophthalma</i>	White-eyed Antwren	FC	FC	X†	
<i>Epinecrophylla ornata</i>	Ornate Antwren	FC	FC	X†	
<i>Myrmotherula brachyura</i>	Pygmy Antwren	C	C	A†, P	
<i>Myrmotherula sclateri</i>	Sclater's Antwren	FC	FC	A‡, P	
<i>Myrmotherula multostriata</i>	Amazonian Streaked-Antwren	FC	FC	A†, P	
<i>Myrmotherula hauxwelli</i>	Plain-throated Antwren	FC	C	X†	
<i>Myrmotherula axillaris</i>	White-flanked Antwren	FC	U-R	X†	
<i>Myrmotherula longipennis</i>	Long-winged Antwren	FC	FC	X†	
<i>Myrmotherula menetriesii</i>	Grey Antwren	FC	FC-C	A‡	
<i>Dichrozona cincta</i> *	Banded Antbird	R		A†, P	
<i>Herpsilochmus rufimarginatus</i>	Rufous-winged Antwren	FC	U-FC	A†	
<i>Microrhopias quixensis</i>	Dot-winged Antwren	FC	FC	A†, P	
<i>Formicivora grisea</i>	White-fringed Antwren	FC	Re	A, P	
<i>Drymophila devillei</i>	Striated Antbird	U	FC	A†, P	
<i>Hypocnemis striata</i>	Spix's Warbling-Antbird	C	FC-C	X†	

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
<i>Hypocnemis hypoxantha</i> *	Yellow-browed Antbird	VR		A, P	
<i>Cercomacra cinerascens</i>	Grey Antbird	C	C	X†	
<i>Cercomacra nigrescens</i>	Blackish Antbird	FC	FC-C	X†	
<i>Cercomacra manu</i>	Manu Antbird	U	FC	X†	
<i>Pyriglena leuconota</i>	White-backed Fire-eye	U	Ue	A†, P	
<i>Myrmoborus leucophrys</i>	White-browed Antbird	C	FC	X†	
<i>Myrmoborus myotherinus</i>	Black-faced Antbird	C	U	X†	
<i>Hypocnemoides maculicauda</i>	Band-tailed Antbird	FC	U-FC	X†	
<i>Sclateria naevia</i>	Silvered Antbird	FC	U	X‡	
<i>Schistocichla rufifacies</i> *	Rufous-faced Antbird	U		A†, P	
<i>Myrmeciza hemimelaena</i>	Chestnut-tailed Antbird	FC	U	X†	
<i>Myrmeciza atrothorax</i>	Black-throated Antbird	C	Cw, Re	A†, P	
<i>Myrmornis torquata</i>	Wing-banded Antbird	R	Rw	A†, P	
<i>Rhegmatorhina gymnops</i>	Bare-eyed Antbird	U-FC	U	X†	
<i>Hylophylax naevius</i>	Spot-backed Antbird	FC	FC	X†	
<i>Hylophylax punctulatus</i>	Dot-backed Antbird	U	U-R	X†	
<i>Willisornis poecilinotus</i>	Scale-backed Antbird	FC	U-FC	X†	
<i>Phlegopsis nigromaculata</i>	Black-spotted Bare-eye	FC	FC	X†	
FORMICARIIDAE (ANTTHRUSHES)					
<i>Formicarius colma</i>	Rufous-capped Antthrush	FC	FC	X†	
<i>Formicarius analis</i>	Black-faced Antthrush	FC	FC	X†	
<i>Chamaeza nobilis</i>	Striated Antthrush	R-U	R-Ue	X†	
GRALLARIIDAE (ANTPITTAS)					

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
<i>Grallaria varia</i>	Variegated Antpitta	U	U-FC	A‡, P	
<i>Hylopezus macularius</i>	Spotted Antpitta	FC	U-FC	A†, P	
<i>Hylopezus berlepschi</i>	Amazonian Antpitta	U-FC	U	A†, P	
<i>Myrmothera campanisona</i>	Thrush-like Antpitta	U	U	A†, P	
CONOPOPHAGIDAE (GNATEATERS)					
<i>Conopophaga aurita</i>	Chestnut-belted Gnateater	U	Re	X†	
TYRANNIDAE (TYRANT FLYCATCHERS)					
<i>Tyrannulus elatus</i>	Yellow-crowned Tyrannulet	C	C	A, P	
<i>Myiopagis gaimardii</i>	Forest Elaenia	C	C	A†, P	
<i>Myiopagis caniceps</i>	Grey Elaenia	FC	U	A†, P	
<i>Myiopagis viridicata</i>	Greenish Elaenia	R	U-Rm (?)	A	AM?
<i>Elaenia spectabilis</i>	Large Elaenia	VR	Rmw	S	AM
<i>Elaenia parvirostris</i>	Small-billed Elaenia	U	Rm	A, P	AM
<i>Ornithion inerne</i>	White-lored Tyrannulet	FC	FC	A†, P	
<i>Camptostoma obsoletum</i>	Southern Beardless-Tyrannulet	FC	U	A†, P	
<i>Phaeomyias murina</i>	Mouse-coloured Tyrannulet	VR	R	A	
<i>Capsiempis flaveola</i>	Yellow Tyrannulet	FC	U	A†, P	
<i>Corythopis torquatus</i>	Ringed Antpipit	U	U	X†, P	
<i>Zimmerius acer</i>	Guianan Tyrannulet	FC	U-FC	A, P	
<i>Mionectes oleagineus</i>	Ochre-bellied Flycatcher	FC	U	X†	
<i>Leptopogon amaurocephalus</i>	Sepia-capped Flycatcher	U-FC	U	X	
<i>Sublegatus obscurior*</i>	Amazonian Scrub-Flycatcher	R		A	

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
<i>Sublegatus modestus</i> *	Southern Scrub-Flycatcher	R	Rem (?) as <i>Sublegatus</i> sp,	A, P	AM
<i>Inezia inornata</i> *	Plain Tyrannulet	VR		A	AM
<i>Inezia subflava</i> *	Amazonian Tyrannulet	U		A, P	
<i>Myiornis ecaudatus</i>	Short-tailed Pygmy-Tyrant	C	FC	X†	
<i>Lophotriccus galeatus</i>	Helmeted Pygmy-Tyrant	C	U	A†, P	
<i>Hemitriccus minor</i>	Snethlage's Tody-Tyrant	FC	FC	X	
<i>Hemitriccus griseipectus</i>	White-bellied Tody-Tyrant	FC	U	X†	
<i>Hemitriccus minimus</i>	Zimmer's Tody-Tyrant	U	R-U	A‡	
<i>Poecilotriccus capitalis</i>	Black-and-white Tody-Tyrant	VR	Rw	A	
<i>Poecilotriccus latirostris</i> *	Rusty-fronted Tody-Flycatcher	C		A, P	
<i>Todirostrum maculatum</i>	Spotted Tody-Flycatcher	C	R	X	
<i>Todirostrum chrysocrotaphum</i>	Yellow-browed Tody-Flycatcher	C	U	A, P	
<i>Rhynchocyclus olivaceus</i>	Olivaceous Flatbill	R	Rw	A	
<i>Tolmomyias sulphurescens</i>	Yellow-olive Flycatcher	R	FC	A†	
<i>Tolmomyias assimilis</i> *	Yellow-margined Flycatcher	FC		X‡	
<i>Tolmomyias poliocephalus</i>	Grey-crowned Flycatcher	FC	U	A†	
<i>Tolmomyias flaviventris</i>	Yellow-breasted Flycatcher	FC	U-R	A, P	
<i>Platyrinchus saturatus</i>	Cinnamon-crested Spadebill	U	R	X†	
<i>Platyrinchus coronatus</i>	Golden-crowned Spadebill	U	Re	X	
<i>Platyrinchus platyrhynchos</i>	White-crested Spadebill	FC	U	X†	
<i>Onychorhynchus coronatus</i>	Royal Flycatcher	U	Rw	X‡	
<i>Myiophobus fasciatus</i>	Bran-coloured Flycatcher	U	Rw	A	R/AM*

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
<i>Myiobius barbatus</i>	Sulphur-rumped Flycatcher	U	Uw	X	
<i>Terenotriccus erythrurus</i>	Ruddy-tailed Flycatcher	FC	U	X‡	
<i>Neopipo cinnamomea</i> *	Cinnamon Manakin-Tyrant-	R		A	
<i>Lathrotriccus euleri</i>	Euler's Flycatcher	FC	U	X†	
<i>Cnemotriccus fuscatus</i> *	Fuscous Flycatcher	U		A	AM
<i>Contopus cooperi</i> *	Olive-sided Flycatcher	VR		A	BM
<i>Contopus virens</i> *	Eastern Wood-Pewee	U		A	BM
<i>Pyrocephalus rubinus</i>	Vermilion Flycatcher	U-FC	R-U	A, P	RM*
<i>Ochthornis littoralis</i>	Drab Water Tyrant	U	U	X†	
<i>Satrapa icterophrys</i> *	Yellow-browed Tyrant	VR		P	AM
<i>Muscisaxicola fluviatilis</i> *	Little Ground-Tyrant	VR		P	
<i>Fluvicola albiventer</i>	Black-backed Water-Tyrant	R	Re	S	
<i>Colonia colonus</i>	Long-tailed Tyrant	FC	Uw	A†, P	
<i>Legatus leucophaeus</i>	Piratic Flycatcher	C	FCm	A, P	UM*
<i>Myiozetetes cayanensis</i>	Rusty-margined Flycatcher	C	FC	A†, P	
<i>Myiozetetes luteiventris</i>	Dusky-chested Flycatcher	U	U	A, P	
<i>Pitangus sulphuratus</i>	Great Kiskadee	C	U	A, P	
<i>Pitangus lictor</i>	Lesser Kiskadee	FC	U	A†, P	
<i>Myiodynastes maculatus</i>	Streaked Flycatcher	U	R-Um	A, P	AM*
<i>Megarynchus pitangua</i> *	Boat-billed Flycatcher	FC		A, P	
<i>Tyrannopsis sulphurea</i>	Sulphury Flycatcher	FC	Rw	A, P	
<i>Empidonomus varius</i>	Variiegated Flycatcher	FC	Um	X	AM*
<i>Empidonomus aurantioatrocristatus</i>	Crowned Slaty Flycatcher	U	Rm	A, P	AM
<i>Tyrannus albogularis</i>	White-throated Kingbird	U	R-Um	A, P	AM
<i>Tyrannus melancholicus</i>	Tropical Kingbird	C	FC	A, P	AM*
<i>Tyrannus savana</i>	Fork-tailed Flycatcher	FC	Um	A, P	AM

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
<i>Rhytipterna simplex</i>	Greyish Mourner	FC	FC	X	
<i>Sirystes sibilator</i>	Sirystes	R	U	A, P	
<i>Casiornis rufus</i>	Rufous Casiornis	U	Re m (?)	A, P	AM?
<i>Myiarchus tuberculifer</i>	Dusky-capped Flycatcher	FC	U	A†, P	
<i>Myiarchus swainsoni</i> *	Swainson's Flycatcher	VR		A	AM
<i>Myiarchus ferox</i>	Short-crested Flycatcher	FC	U	A†, P	
<i>Myiarchus tyrannulus</i>	Brown-crested Flycatcher	U	R m (?)	A†, P	
<i>Ramphotrigon megacephalum</i>	Large-headed Flatbill	FC	FC	X†	
<i>Ramphotrigon ruficauda</i>	Rufous-tailed Flatbill	U-FC	Re	X	
<i>Ramphotrigon fuscicauda</i>	Dusky-tailed Flatbill	U	U	A†, P	
<i>Attila phoenicurus</i> *	Rufous-tailed Attila	VR		P	AM
<i>Attila cinnamomeus</i>	Cinnamon Attila	FC	U-FC	X†	
<i>Attila spadiceus</i>	Bright-rumped Attila	FC	U	X†	
COTINGIDAE (COTINGAS)					
<i>Cephalopterus ornatus</i>	Amazonian Umbrellabird	U	Ue	X	
<i>Cotinga cayana</i>	Spangled Cotinga	FC	U	X	
<i>Lipaugus vociferans</i>	Screaming Piha	C	C	X†	
<i>Porphyrolaema porphyrolaema</i>	Purple-throated Cotinga	R	R	A†, P	
<i>Xipholena punicea</i>	Pompadour Cotinga	U	Ue (as <i>Xipholena</i> sp.)	X	
<i>Gymnoderus foetidus</i>	Bare-necked Fruitcrow	FC	U-FC	A, P	
PIPRIDAE (MANAKINS)					
<i>Tyrannneutes stolzmanni</i>	Dwarf Tyrant-Manakin	C	U	A†, P	

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
<i>Machaeropterus pyrocephalus</i>	Fiery-capped Manakin	FC	R-U	A†, P	
<i>Lepidothrix nattereri</i>	Snow-capped Manakin	FC	U	X†	
<i>Manacus manacus</i>	White-bearded Manakin	U	R-Uw	X	
<i>Chiroxiphia pareola</i>	Blue-backed Manakin	FC	FC	X†	
<i>Heterocercus linteatus</i>	Flame-crowned Manakin	FC	R	X†	
<i>Pipra pipra</i> *	White-crowned Manakin	U		X	
<i>Pipra fasciicauda</i>	Band-tailed Manakin	FC	FC	X	
<i>Pipra rubrocapilla</i>	Red-headed Manakin	C	FC	X†	
TITYRIDAE (TITYRAS)					
<i>Tityra inquisitor</i>	Black-crowned Tityra	U	R-U	A†, P	
<i>Tityra cayana</i>	Black-tailed Tityra	R	U	A†, P	
<i>Tityra semifasciata</i>	Masked Tityra	C	FC	A†, P	
<i>Schiffornis major</i>	Varzea Schiffornis	U	Rw	X†	
<i>Schiffornis turdina</i>	Thrush-like Schiffornis	FC	FC	X†	
<i>Laniocera hypopyrra</i>	Cinereous Mourner	U	U	X†	
<i>Iodopleura isabellae</i>	White-browed Purpletuft	U	R-U	A, P	
<i>Xenopsaris albinucha</i>	White-naped Xenopsaris	R	Re	A, P	AM
<i>Pachyramphus castaneus</i>	Chestnut-crowned Becard	FC	U	A†	
<i>Pachyramphus polychopterus</i>	White-winged Becard	FC	U	A†, P	
<i>Pachyramphus marginatus</i>	Black-capped Becard	FC	FC	A†	
<i>Pachyramphus minor</i>	Pink-throated Becard	U-FC	U	X	
<i>Pachyramphus validus</i> *	Crested Becard	VR		A, P	AM
INCERTAE SEDIS:					

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
<i>Piprites chloris</i>	Wing-barred Piprites	FC	FC	A†	
VIREONIDAE (VIREOS)					
<i>Cyclarhis gujanensis</i>	Rufous-browed Peppershrike	FC	U	A†, P	
<i>Vireolanius leucotis</i>	Slaty-capped Shrike-Vireo	FC-C	FC-C	A†, P	
<i>Vireo olivaceus</i>	Red-eyed Vireo	C	Uw	X	BM/AM
<i>Vireo altiloquus</i>	Black-whiskered Vireo	U-R	Rw m	S	BM
<i>Hylophilus semicinereus</i>	Grey-chested Greenlet	FC	FC	A†, P	
<i>Hylophilus hypoxanthus</i>	Dusky-capped Greenlet	FC-C	C	X‡	
<i>Hylophilus ochraceiceps</i>	Tawny-crowned Greenlet	U	FC	A‡, P	
HIRUNDINIDAE (SWALLOWS)					
<i>Pygochelidon melanoleuca*</i>	Black-collared Swallow	U-R		P	
<i>Atticora fasciata</i>	White-banded Swallow	C	Fce	A†, P	
<i>Atticora tibialis</i>	White-thighed Swallow	U	R	A, P	
<i>Stelgidopteryx ruficollis</i>	Southern Rough-winged Swallow	C	C	X†	
<i>Progne tapera</i>	Brown-chested Martin	FC	U-FC	P	
<i>Progne subis*</i>	Purple Martin	U		P	BM
<i>Progne chalybea</i>	Grey-breasted Martin	C	U-FC	A, P	AM*
<i>Tachycineta albiventer</i>	White-winged Swallow	U	FC	A†, P	
<i>Riparia riparia*</i>	Bank Swallow	VR		S	BM
<i>Hirundo rustica*</i>	Barn Swallow	R		S	BM
TROGLODYTIDAE (WRENS)					
<i>Microcerculus marginatus</i>	Scaly-breasted Wren	FC	FC	X†	

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
<i>Odontorchilus cinereus</i>	Tooth-billed Wren	U	U	A†, P	
<i>Troglodytes aedon</i>	House Wren	C	C	A‡, P	
<i>Campylorhynchus turdinus</i>	Thrush-like Wren	FC	FC	X†	
<i>Pheugopedius genibarbis</i>	Moustached Wren	FC	FC	A†, P	
<i>Cantorchilus leucotis</i>	Buff-breasted Wren	C	FC-C	X†	
<i>Cyphorhinus arada</i>	Musician Wren	U	R	X†	
POLIOPTILIDAE (GNATCATCHERS)					
<i>Ramphocaenus melanurus</i>	Long-billed Gnatwren	C	FC	X†	
<i>Polioptila guianensis</i>	Guianan Gnatcatcher	R	Rw	A	
DONACOBIIDAE (DONACOBIOUS)					
<i>Donacobius atricapilla</i>	Black-capped Donacobius	FC		A†, P	
TURDIDAE (THRUSHES)					
<i>Catharus fuscescens</i> *	Veery	VR		X	
<i>Turdus hauxwelli</i>	Hauxwell's Thrush	FC	U (as <i>T. hauxwelli/fumigatus</i>)	X†	
<i>Turdus lawrencii</i>	Lawrence's Thrush	U	U	A†	
<i>Turdus amaurochalinus</i>	Creamy-bellied Thrush	VR	U-Rw	S	
<i>Turdus albicollis</i>	White-necked Thrush	FC	U	X†	
MOTACILLIDAE (PIPITS AND WAGTAILS)					
<i>Anthus lutescens</i> *	Yellowish Pipit	U		A, P	

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
THRAUPIDAE (TANAGERS)					
<i>Paroaria gularis</i>	Red-capped Cardinal	FC	U-FCe	A, P	
<i>Cissopis leverianus</i>	Magpie Tanager	FC	U	A†, P	
<i>Lamprospiza melanoleuca</i>	Red-billed Pied Tanager	U	FC	A†, P	
<i>Nemosia pileata</i>	Hooded Tanager	VR	Re	S	
<i>Tachyphonus cristatus</i>	Flame-crested Tanager	FC	C	X	
<i>Tachyphonus luctuosus</i>	White-shouldered Tanager	FC	FC	X	
<i>Tachyphonus rufus*</i>	White-lined Tanager	U		A, P	
<i>Lanio versicolor</i>	White-winged Shrike-Tanager	FC	FC	A†	
<i>Ramphocelus carbo</i>	Silver-beaked Tanager	C	FC	A, P	
<i>Thraupis episcopus</i>	Blue-grey Tanager	C	Uw (as <i>T. episcopus/sayaca</i>)	A‡, P	
<i>Thraupis sayaca*</i>	Sayaca Tanager	U		A, P	
<i>Thraupis palmarum</i>	Palm Tanager	C	FC-C	A†, P	
<i>Tangara nigrocincta</i>	Masked Tanager	U	U-R	A†, P	
<i>Tangara cyanicollis</i>	Blue-necked Tanager	U	Uw	A†, P	
<i>Tangara punctata</i>	Spotted Tanager	U	Re	A	
<i>Tangara mexicana</i>	Turquoise Tanager	FC	FC	A†, P	
<i>Tangara chilensis</i>	Paradise Tanager	FC	C	A, P	
<i>Tangara velia</i>	Opal-rumped Tanager	FC	FC	A‡	
<i>Tangara gyrola</i>	Bay-headed Tanager	FC	U	A†, P	
<i>Tangara schrankii</i>	Green-and-gold Tanager	FC	U	X‡	
<i>Tersina viridis</i>	Swallow Tanager	FC	U-FC	A†, P	UM
<i>Dacnis albiventris</i>	White-bellied Dacnis	VR	Rw	A	

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
<i>Dacnis lineata</i>	Black-faced Dacnis	FC	FC	A, P	
<i>Dacnis flaviventer</i>	Yellow-bellied Dacnis	FC	FC	A†, P	
<i>Dacnis cayana</i>	Blue Dacnis	FC	C	A‡	
<i>Cyanerpes nitidus</i>	Short-billed Honeycreeper	U	U-R	A, P	
<i>Cyanerpes caeruleus</i>	Purple Honeycreeper	U-FC	U	A†, P	
<i>Chlorophanes spiza</i>	Green Honeycreeper	FC	U	A, P	
<i>Hemithraupis flavicollis</i>	Yellow-backed Tanager	FC	U-FC	A, P	
<i>Conirostrum speciosum</i>	Chestnut-vented Conebill	U	Re	A	
INCERTAE SEDIS:					
<i>Coereba flaveola</i>	Bananaquit	FC	U	A†, P	
<i>Saltator grossus</i>	Slate-coloured Grosbeak	FC	FC-C	X†	
<i>Saltator maximus</i>	Buff-throated Saltator	C	FC-C	X†	
<i>Saltator coerulescens</i> *	Greyish Saltator	C		A, P	
<i>Parkerthraustes humeralis</i>	Yellow-shouldered Grosbeak	U	U	A†, P	
EMBERIZIDAE (SPARROWS)					
<i>Zonotrichia capensis</i> *	Rufous-collared Sparrow	C		A, P	
<i>Ammodramus humeralis</i> *	Grassland Sparrow	C		A, P	
<i>Volatinia jacarina</i>	Blue-black Grassquit	C	C	A‡, P	
<i>Sporophila lineola</i> *	Lined Seedeater	C		A, P	UM
<i>Sporophila nigricollis</i> *	Yellow-bellied Seedeater	U		A, P	UM
<i>Sporophila caerulescens</i>	Double-collared Seedeater	C	Rw m	A, P	UM
<i>Sporophila castaneiventris</i> *	Chestnut-bellied Seedeater	R		P	
<i>Oryzoborus angolensis</i>	Chestnut-bellied Seed-Finch	U	Rw	A†, P	

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
<i>Arremon taciturnus</i>	Pectoral Sparrow	FC	FC	X†	
<i>Coryphospingus cucullatus*</i>	Red-crested Finch	VR		P	
CARDINALIDAE (CARDINAL GROSBEAKS)					
<i>Habia rubica</i>	Red-crowned Ant-Tanager	FC	U-FC	A†, P	
<i>Granatellus pelzelni</i>	Rose-breasted Chat	FC-U	FC	A†, P	
<i>Cyanocompsa cyanooides</i>	Blue-black Grosbeak	FC	FCw	X†	
PARULIDAE (WOOD-WARBLERS)					
<i>Geothlypis aequinoctialis*</i>	Masked Yellowthroat	VR		S	
<i>Basileuterus culicivorus</i>	Golden-crowned Warbler	U	U	A†	
<i>Phaeothlypis fulvicauda*</i>	Buff-rumped Warbler	R		A	
<i>Phaeothlypis rivularis</i>	Riverbank Warbler	R	U	A†	
ICTERIDAE (BLACKBIRDS)					
<i>Psarocolius decumanus</i>	Crested Oropendola	C	FC	A†, P	
<i>Psarocolius bifasciatus</i>	Olive Oropendola	C	FC-C	X†	
<i>Cacicus solitarius</i>	Solitary Black Cacique	U	Rw	A	
<i>Cacicus cela</i>	Yellow-rumped Cacique	C	U-FC	A†, P	
<i>Cacicus haemorrhous</i>	Red-rumped Cacique	U	Rw	X†	
<i>Icterus cayanensis</i>	Epaulet Oriole	FC	U	A†, P	
<i>Gnorimopsar chopi*</i>	Chopi Blackbird	VR		A	
<i>Molothrus oryzivorus</i>	Giant Cowbird	FC	R	A, P	
<i>Molothrus bonariensis*</i>	Shiny Cowbird	U		A, P	
<i>Sturnella militaris*</i>	Red-breasted Blackbird	C		A, P	

Order / Family / Scientific Name	Common Name	Abundance (this work)	Abundance (Zimmer et al.)	Supporting Evidence	Seasonality
FRINGILLIDAE (FINCHES)					
<i>Euphonia chlorotica</i> *	Purple-throated Euphonia	FC		A	
<i>Euphonia violacea</i>	Violaceous Euphonia	U	R (as <i>E. violacea / laniirostris</i>)	A	
<i>Euphonia chrysopasta</i>	Golden-bellied Euphonia	FC	FC	A†, P	
<i>Euphonia minuta</i>	White-vented Euphonia	U	U-R	A†	
<i>Euphonia xanthogaster</i>	Orange-bellied Euphonia	U	U	A†	
<i>Euphonia rufiventris</i>	Rufous-bellied Euphonia	FC	FC	A, P	
PASSERIDAE (OLD WORLD SPARROWS)					
<i>Passer domesticus</i>	House Sparrow	C	Rw	A, P	